



864 Purchase Order

DIVISION	Genesco Sender/Receiver ID
Hatworld	12 / 3173349428
Journeys / Journeys Kids / Shi'	12 / 6153677313
Journeys Canada	12 / 6153678194
Jarman / Underground Station	12 / 6153677274
Johnson & Murphy's	12 / 6153677403

VAN: INOVIS

Required EDI Documents: 850, 860, 856 and 997

Documentation: <http://genescopartners.com>

Genesco EDI Support: edi@genesco.com

864 Text Message

Functional Group ID= **TX**

Heading:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>
3	010	ST	Transaction Set Header	M	1	
4	020	BMG	Beginning Segment For Text Message	M	1	
5	030	DTM	Date/Time Reference	O	10	
LOOP ID - N1						200
6	040	N1	Name	O	1	
7	090	PER	Administrative Communications Contact	O	3	

Detail:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>
LOOP ID - MIT						>1
8	010	MIT	Message Identification	M	1	
LOOP ID - N1						200
9	020	N1	Name	O	1	
10	040	N3	Address Information	O	2	
11	050	N4	Geographic Location	O	1	
12	070	PER	Administrative Communications Contact	O	3	
13	080	MSG	Message Text	M	100000	

Summary:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>
14	010	SE	Transaction Set Trailer	M	1	

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number

Data Element Summary

	<u>Ref.</u> <u>Des.</u> <u>Attributes</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 864 Text Message	M ID 3/3
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Segment: **BMG** Beginning Segment For Text Message
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a Text Message Transaction Set
Notes: Example: BMG*00**01

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>		
M	BMG01	353	Transaction Set Purpose Code	M	ID 2/2
			Code identifying purpose of transaction set		
		00	Original		
	BMG03	640	Transaction Type Code	O	ID 2/2
			Code specifying the type of transaction		
		01	Location Address Message		
			Unrelated addresses of business locations		
		03	Report Message		
			A human-readable report intended to be put on paper		
		04	Electronic Mail Message		
			A free-form, human-readable message intended for an electronic mail system		

Segment: **DTM** Date/Time Reference
Position: 030
Loop:
Level: Heading
Usage: Optional
Max Use: 10
Purpose: To specify pertinent dates and times
Notes: Example: DTM*097*20101027

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>		
M	<u>DTM01</u>	374	Date/Time Qualifier Code specifying type of date or time, or both date and time 097 Transaction Creation	M	ID 3/3
	<u>DTM02</u>	373	Date Date expressed as CCYYMMDD	X	DT 8/8

Segment: **N1** Name
Position: 040
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Notes: Example: N1*CQ*GENESCO

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>		
M	<u>N101</u>	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	M	ID 2/3
	N102	93	Name Free-form name	X	AN 1/60
	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67)	X	ID 1/2
	N104	67	Identification Code Code identifying a party or other code	X	AN 2/80
	N105	706	Entity Relationship Code Code describing entity relationship	O	ID 2/2
	N106	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual	O	ID 2/3

Segment: **PER** **Administrative Communications Contact**
Position: 090
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 3
Purpose: To identify a person or office to whom administrative communications should be directed
Notes: Example: PER*CN*Genesco*TE*6153678000*EM*EDI@genesco.com

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	
PER01	366	Contact Function Code		O ID 2/2
			Code identifying the major duty or responsibility of the person or group named CN General Contact	
PER02	93	Name		O AN 1/60
			Free-form name	
PER03	365	Communication Number Qualifier		X ID 2/2
			Code identifying the type of communication number TE Telephone	
PER04	364	Communication Number		X AN 1/80
			Complete communications number including country or area code when applicable	
PER05	365	Communication Number Qualifier		X ID 2/2
			Code identifying the type of communication number EM Electronic Mail	
PER06	364	Communication Number		X AN 1/80
			Complete communications number including country or area code when applicable	

Segment: **MIT** Message Identification
Position: 010
Loop: MIT Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify the beginning of a specific message and to allow the identification of a subject for the message
Notes: Example: MIT*01*ADDRESS CHANGE

Data Element Summary

	<u>Ref.</u> <u>Des.</u> <u>Attributes</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	
M	MIT01	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	M AN 1/30
	MIT02	352	Description A free-form description to clarify the related data elements and their content	O AN 1/80

Segment: **N1** Name
Position: 020
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Notes: Example: N1*FR*JOURNEYS RETAIL

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
M	<u>N101</u>	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual FR Message From	M ID 2/3
	<u>N102</u>	93	Name Free-form name	X AN 1/60

Segment: N3 Address Information
Position: 040
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Notes: Example: N3*635 GENESCO PARKWAY

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>		
M	N301	166	Address Information Address information	M	AN 1/55
	N302	166	Address Information Address information	O	AN 1/55

Segment: **N4 Geographic Location**
Position: 050
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Notes: Example: N4*LEBANON*TN*37090

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
<u>Attributes</u>			
N401	19	City Name Free-form text for city name	O AN 2/30
N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/15

Segment: **PER** Administrative Communications Contact
Position: 070
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 3
Purpose: To identify a person or office to whom administrative communications should be directed
Notes: PER*CN*JOURNEYS RETAIL*TE*6153678000

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	
	<u>Des.</u>	<u>Element</u>		
<u>M</u>	<u>Attributes</u>			
	PER01	366	Contact Function Code	M ID 2/2
			Code identifying the major duty or responsibility of the person or group named CN General Contact	
	PER02	93	Name	O AN 1/60
			Free-form name	
	PER03	365	Communication Number Qualifier	X ID 2/2
			Code identifying the type of communication number TE Telephone	
	PER04	364	Communication Number	X AN 1/80
			Complete communications number including country or area code when applicable	

Segment: **MSG** Message Text
Position: 080
Loop: MIT Mandatory
Level: Detail
Usage: Mandatory
Max Use: 100000
Purpose: To provide a free-form format that allows the transmission of text information
Notes: Example:

```

MSG*MSG:HERE IS WHERE THE MESSAGE GOES LINE 1
MSG*MSG:HERE IS WHERE THE MESSAGE GOES LINE 2
MSG*MSG:HERE IS WHERE THE MESSAGE GOES LINE 3
  
```

Data Element Summary

	Ref.	Data		
	Des.	Element	Name	
	Attributes			
M	MSG01	933	Free-Form Message Text Free-form message text	M AN 1/264

Segment: **SE** Transaction Set Trailer
Position: 010
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	
M	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
M	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

864 Text Message Sample

ISA*00* *00* *12*6153677313 *ZZ*GENERIC
*101129*1059*U*00401*000026253*0*T*>
GS*TX*6153677313*GENERIC*20101129*1059*26253*X*004010
ST*864*0001~BMG*00**01~DTM*097*20101028~N1*CQ*GENESCO INC
PER*TE*6153678000*EM*EDI@genesco.com
MIT*20101028111527*ADDRESS CHANGE~N1*FR*JOURNEYS RETAIL
MSG*:HERE IS WHERE THE MESSAGE GOES LINE 1
MSG*:HERE IS WHERE THE MESSAGE GOES LINE 2
MSG*:HERE IS WHERE THE MESSAGE GOES LINE 3
SE*11*0001~GE*1*26253~IEA*1*000026253